

# THE POWER OF 2.0

Oxlife **LIBERTY<sup>2</sup>** is the only wearable portable oxygen concentrator (POC) with the power to deliver 2.0 LPM continuous flow and 10 pulse dose settings.



# Oxlife LIBERTY2<sup>®</sup>

## Portable Oxygen Concentrator

Combining **2.0 LPM continuous flow** oxygen with the most **pulse mode settings available (1-10)**, the Oxlife **LIBERTY2** POC empowers you to deliver better, more versatile patient oxygen therapy with a single device.




**Up to 2.0 LPM  
continuous flow**



**Settings 1-10**  
highest pulse dose  
available



**24/7 remote monitoring**  
with DNA Technology<sup>®</sup>



**Asset management  
and loss prevention**  
with GPS technology



**Dual billing**  
for stationary and POC  
(E1390 & E1392)




Compact,  
lightweight  
wearable design

Patented  
Energy Smart<sup>®</sup>  
Technology

Patient-friendly,  
easy-to-use  
interface

Three-year  
warranty



DNA TECHNOLOGY®

# Remote asset & clinical monitoring

O<sub>2</sub> Concepts' proprietary, device-initiated connectivity solution

---

GPS-enabled inventory control and loss prevention technology

---

24/7 remote monitoring for device performance

---

Easily access data from any device via secure, cloud-based platform

---

Proactively promote enhanced patient therapy adherence

---

Reduce field calls with intuitive customer support resources

---

Manage hospital DME closet inventory with device Geofence



## OXLIFE LIBERTY2<sup>®</sup> PRODUCT SPECIFICATIONS<sup>1</sup>

<b>Dimensions</b>	Height: 9.9" • Width: 9.9" • Depth: 3.8"
<b>Weight</b>	Device: 6.35 lbs
<b>Battery Duration</b>	Up to 4.5 hours
<b>Battery Recharge Time<sup>2</sup></b>	Under 2.5 hours on AC or DC
<b>Oxygen Concentration</b>	87% - 95% at sea level at all settings
<b>Pulse Flow Settings<sup>3</sup></b>	1 - 10 with bolus size 8 - 80mL
<b>Continuous Flow Settings</b>	0.5 LPM to 2.0 LPM
<b>AC Power</b>	Input: 100-240VAC, 50/60Hz @ 2.5amps Maximum Power Consumption: 150W
<b>DC Power</b>	Input: 11.5 - 15V, 10A Maximum Power Consumption: 120W

<sup>1</sup> O<sub>2</sub> Concepts<sup>®</sup> reserves the right to revise specifications at any time without notice <sup>2</sup> Battery recharge time will increase if unit is operating on DC power while charging

<sup>3</sup> Bolus size based on 20 breaths per minute

## Smarter, more efficient and more reliable oxygen therapy than ever before

A legacy of design innovations, cutting edge technology and unparalleled support

Relied upon by leading academic and research medical centers, and by hospital groups and homecare providers nationwide

The most cost-effective device & operating model

A simplified, effective hospital/clinic discharge process

The ability to remotely monitor and locate every device in your fleet

Designed for the reliability and durability needs of the DME industry

## Power up to Oxlife LIBERTY<sub>2</sub><sup>®</sup>

Contact us at **(877) 867-4008 (prompt 6)** or at **info@o2-concepts.com** for more information or to consult with one of our territory managers.

**o2-concepts.com**



O<sub>2</sub> Concepts<sup>®</sup>, Oxlife LIBERTY<sub>2</sub><sup>®</sup>, DNA Technology<sup>®</sup> and Energy Smart Technology<sup>®</sup> are trademarks of O<sub>2</sub> Concepts<sup>®</sup>, LLC and may not be reproduced without express consent.

© 2024 O<sub>2</sub> Concepts<sup>®</sup>, LLC. All rights reserved.

900-1018 Rev A